

# The Winnipeg Forest Watch Program



## Survey 1 – ash tree injection candidates

Location Zone: \_\_\_\_\_ Tree number: \_\_\_\_\_ (find zone and tree # on maps)

Street Address: \_\_\_\_\_ (if applicable)

\*use your laminated sheets as a reference for the following,

Present

### Tree specifications:

- Dbh (diameter at breast height) at least 20cm (wrap string around tree if not able to touch or just able to touch check mark the box)

### Tree condition:

-Not leaning (should have roughly symmetrical crown shape)

-full crown

-No defects (decay columns, cankers, debris embedded in wood, basal damage)

-None or 1 healed over crack

-Few or no surface roots

-No witch's-broom

-No epicormic shoots (suckers) emerging from the trunk or from the base of the tree

### Location:

-No hydro wires or street lights above tree

Additional notes/comments

---

---

---

---

If you have any questions throughout the survey please take notes, a picture of the tree and ask us when you hand in your sheets, email us at [office@treeswinnipeg.org](mailto:office@treeswinnipeg.org), or mail to: Trees Winnipeg, 1539 Waverley St. Winnipeg, MB R3T 4V7

Surveyor name: \_\_\_\_\_ (first , last ) Date: \_\_\_\_\_ (month/day/year)